

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|--|------------------|---------|---------------------|
| L4 | 17183 | (low\$3 adj power) with (switch\$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/31 07:39 |
| L6 | 35117 | 370/338 370/329 370/468 370/348 370/401 455/343 455/450 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/31 07:41 |
| L7 | 231 | RFID and L4 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/31 07:41 |
| L9 | 24 | L7 and L6 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/31 07:41 |
| L10 | 18 | Haartsen.as. with jacobus.as. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/31 07:42 |
| L11 | 18 | L10 and ericsson.as. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/31 07:42 |
| L12 | 0 | L7 and ericsson.as. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/31 07:43 |
| L13 | 0 | L7 and L10 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/31 07:43 |
| S2 | 18712 | (low\$3 adj power) with (high\$3 adj power) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/27 20:36 |
| S3 | 2258 | scan\$4 with RFID with tag\$1 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/27 20:38 |
| S4 | 98 | S2 and S3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/27 20:39 |

| | | | | | | |
|-----|--------|--|--|----|-----|---------------------|
| S5 | 20 | (low\$3 adj power) same S3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/27 20:39 |
| S6 | 115835 | (low\$3 adj power) same high\$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/27 20:40 |
| S7 | 5 | S5 and S6 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/27 20:41 |
| S8 | 56872 | (scan\$4 read\$4) with (RFID or tag\$1) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/27 20:42 |
| S9 | 948 | (low\$3 near2 power \$4) same S8 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/27 20:42 |
| S10 | 12567 | S8 and (RFID near2 tag\$1) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/27 20:49 |
| S11 | 704 | S10 and (ad\$hoc or W \$LAN) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/27 20:55 |
| S12 | 60847 | (RFID.ab. tag.ab.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/27 21:01 |
| S13 | 238 | S11 and S12 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/27 21:01 |
| S14 | 96 | S13 and (mobile.ab. wireless.ab.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/27 21:01 |
| S15 | 115835 | (low\$3 adj power) same high\$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/27 21:03 |
| S16 | 11 | S14 and S15 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/27 21:03 |
| S17 | 96 | S14 and (address\$3 "ID" identification identify\$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/27 21:06 |

| | | | | | | |
|-----|---------|--|--|----|-----|---------------------|
| S18 | 96411 | channel\$1 near2 (first and second) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 18:44 |
| S19 | 4004761 | (address\$3 "ID" identification identify \$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 18:51 |
| S20 | 3608974 | (base adj2 station\$1) (access adj point\$1) receiving receiver\$1 nodeB (node adj b) adhoc ad\$hoc adj-hoc | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 19:02 |
| S21 | 36549 | (channel\$1 frequency time) adj2 (offset\$1) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 19:02 |
| S22 | 6796 | S20 with S21 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 19:03 |
| S23 | 289 | S22 and (S21 same spreading) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 19:03 |
| S24 | 50477 | channel\$1 with (offset \$1 spreading) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 19:07 |
| S25 | 196 | S23 and S24 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 19:07 |
| S26 | 60 | broadcast\$4 and S25 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 19:52 |
| S27 | 19 | S26 and (adhoc ad \$hoc adj-hoc p2p point \$point peer\$peer) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 19:56 |
| S28 | 3625871 | (base adj2 station\$1) (access adj point\$1) receiving receiver\$1 nodeB (node adj b) adhoc ad\$hoc adj-hoc p2p point\$point peer \$peer | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 19:59 |
| S29 | 6807 | S28 with S21 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 19:59 |

| | | | | | | |
|-----|--------|---|--|----|-----|---------------------|
| S30 | 289 | S29 and (S21 same spreading) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 20:00 |
| S31 | 675576 | ("same" "identical") with (information data) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 20:13 |
| S32 | 143 | S30 and S31 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 20:14 |
| S33 | 376235 | ("same" "identical") with (sent transmit\$4 send\$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 20:15 |
| S34 | 121 | S32 and S33 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 20:15 |
| S35 | 47867 | hand\$over hand\$off (hand\$1 adj over) (hand\$1 adj off) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 20:18 |
| S36 | 89 | S30 and S35 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 20:18 |
| S37 | 405928 | ((first near2 channel \$1) and (second near2 channel\$1)) or (pluralit\$4 near2 channel\$1) or (multiple near2 channel\$1) or ((assign \$4 allocat\$4 reserv\$4 determin\$4) near3 channel\$1) or (synchroni\$7 with (transmit\$4 transmission\$1 communication\$1)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 20:49 |
| S38 | 232 | S30 and S37 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 20:49 |
| S39 | 3554 | spreading and (ad hoc ad\$hoc adj-hoc p2p point\$point peer \$peer) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 21:07 |
| S40 | 121393 | ((assign\$4 allocat\$4 reserv\$4 determin\$4) near3 channel\$1) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 21:08 |

| | | | | | | |
|-----|--------|---|--|----|-----|---------------------|
| S41 | 1317 | S39 and S40 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 21:08 |
| S42 | 15042 | S40 same (inquir\$4 request\$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 21:09 |
| S43 | 369 | S41 and S42 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 21:09 |
| S44 | 20209 | (assign\$4 allocat\$4 reserv\$4 determin\$4) near3 (uplink reverse up\$link (up adj link) near2 channel\$1) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 21:12 |
| S45 | 134 | S43 and S44 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 21:15 |
| S46 | 3677 | spreading and (multi \$shop\$4 adhoc ad\$hoc adj-hoc p2p point \$point peer\$peer) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 21:18 |
| S47 | 3708 | ((assign\$4 allocat\$4 reserv\$4 determin\$4) near3 channel\$1) with node\$1 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 21:19 |
| S48 | 85 | S46 and S47 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 21:19 |
| S49 | 63 | S48 and broadcast\$4 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 21:19 |
| S50 | 147371 | (parameter\$1 identif \$7) with request\$4 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 21:21 |
| S51 | 16 | S49 and S50 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 21:22 |
| S52 | 4060 | ((assign\$4 allocat\$4 reserv\$4 determin\$4) near3 channel\$1) same ((parameter\$1 identif\$7) same request\$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 21:23 |

| | | | | | | |
|-----|-------|---|--|----|-----|---------------------|
| S53 | 13 | S48 and S52 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 21:23 |
| S54 | 1958 | ((assign\$4 allocat\$4 reserv\$4 determin\$4) near3 channel\$1) same (multi\$hop\$4 adhoc ad\$hoc adj-hoc p2p point\$point peer \$peer) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 21:25 |
| S55 | 214 | S54 and spreading | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 21:26 |
| S56 | 3 | 09/552144 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 21:48 |
| S57 | 1 | 10/664726 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 22:16 |
| S58 | 3708 | ((assign\$4 allocat\$4 reserv\$4 determin\$4) near3 channel\$1) with node\$1 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 22:43 |
| S59 | 3677 | spreading and (multi \$hop\$4 adhoc ad\$hoc adj-hoc p2p point \$point peer\$peer) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 22:44 |
| S60 | 85 | S58 and S59 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 22:44 |
| S61 | 3606 | RTS same CTS | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 22:45 |
| S62 | 21 | S60 and S61 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/28 22:45 |
| S63 | 11017 | adhoc ad\$hoc adj-hoc | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/29 15:27 |
| S64 | 2692 | ((assign\$4 allocat\$4 reserv\$4) near3 channel\$1) with node \$1 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/29 15:27 |

| | | | | | | |
|-----|-------|---|--|----|-----|---------------------|
| S65 | 2402 | RTS\$CTS (RTS with CTS) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/29 15:28 |
| S66 | 39 | S64 and S65 and S63 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/29 15:28 |
| S67 | 15 | S66 and (w-cdma cdma cdma2000 cdma-2000 spreading) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/29 15:29 |
| S68 | 74530 | ((assign\$4 allocat\$4 reserv\$4) near3 channel\$1) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/29 15:31 |
| S69 | 45286 | node\$1 same (ad hoc ad\$hoc adj-hoc wireless mobile) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/29 15:32 |
| S70 | 4468 | S68 same node\$1 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/29 15:32 |
| S71 | 1915 | S69 and S70 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/29 15:33 |
| S72 | 937 | S71 and (w-cdma cdma cdma2000 cdma-2000 spreading) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/29 15:33 |
| S73 | 62 | S65 and S72 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/29 15:33 |
| S74 | 4468 | S68 same node\$1 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/29 16:20 |
| S75 | 62 | S73 and S74 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/03/29 16:20 |

3/31/08 7:43:50 AM

C:\Documents and Settings\awin\My Documents\EAST\Workspaces\10664726_I.wsp